

Prepared for: Chris Limongelli, Republic Services

14400 N. 87th St, Suite 200

Scottsdale, AZ 85260

Office: 480-718-6528 | Mobile: 602-369-1776

Email: climongelli@republicservices.com

2021 F-750 Diesel Regular Cab Base (F7D)

Price Level: 115



Client Proposal

Prepared by:

Gary Gibson

Office: 214-631-2050

Quote ID: R7-2021

Date: 04/30/2020



Rush Medium Duty Truck Center, Dallas | 4000 Irving Blvd., Dallas, Texas, 752475816

Office: 214-631-2050

Prepared for: Chris Limongelli

Republic Services

Prepared by: Gary Gibson

04/30/2020

Rush Medium Duty Truck Center, Dallas | 4000 Irving Blvd. Dallas Texas | 752475816



2021 F-750 Diesel Regular Cab Base (F7D)

Price Level: 115 | Quote ID: R7-2021

As Configured Vehicle

Code	Description
Base Vehicle	
F7D	Base Vehicle Price (F7D)
Engines	
99C	6.7L Power Stroke V8 Turbo Diesel - 270 HP @ 2400 RPM Includes Engine Exhaust Brake and manual regen capability. Torque: 700 ft.lbs. @ 1500 rpm. <i>Governed RPM: 3200. Includes CARB clean idle label - may be removed if un-necessary.</i>
425	50-State Emissions
41H	Engine Block Heater, Phillips, 120 Volt/750 Watt
Transmissions	
44G	Ford TorqShift HD 6-Speed Automatic - Double Overdrive, less PTO Provision, less Park Pawl
41A	Transmission Power Take-Off Provision w/LiveDrive Capability and Tow/Haul
Front Wheels & Tires	
643	Wheels, Front 22.5x8.25 White Powder Coated Steel, 10-Hole <i>(285.75MM BC) hub piloted, flanged nut, metric mount, 8.25 DC rims; with steel hubs.</i>
T2B	Tires, Front Two 11R22.5G Goodyear Fuel Max RSA (497 rev/mile)
Rear Wheels & Tires	
663	Wheels, Rear 22.5x8.25 White Powder Coated Steel, 10-Hole <i>(285.75MM BC) hub piloted, flanged nut, metric mount, 8.25 DC rims; with steel hubs.</i>
R2B	Tires, Rear Four 11R22.5G Goodyear Fuel Max RSA (497 rev/mile)
Brakes	

Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.

Prepared for: Chris Limongelli

Republic Services

Prepared by: Gary Gibson

04/30/2020

Rush Medium Duty Truck Center, Dallas | 4000 Irving Blvd. Dallas Texas | 752475816



2021 F-750 Diesel Regular Cab Base (F7D)

Price Level: 115 | Quote ID: R7-2021

As Configured Vehicle (cont'd)

Code	Description
67A	Air Brakes - Straight Truck w/Traction Control <i>Meritor Q-Plus with ABS, Bendix Anti-Lock Brake System, 4-channel. Includes 15" x 4" front brakes, dual direct reading air pressure gauges, brake lines color coded nylon, Bendix 13.2 CFM capacity air compressor, instrument panel mounted yellow knob parking brake control valve, automatic slack adjusters front and rear, two rear spring parking air brake chambers mounted on front of rear axle, three drain valves and two air tanks (Reference Body Builders Book for location). Rear brake size and components dependent upon axle selection. Uses existing ABS system to minimize wheel slipping during acceleration. Usage determined by the air brake package selected. (Should NEVER be used with Hi-Rail Train Systems). Includes: - Air Dryer, Bendix AD/IPS w/Heater Mounted left frame rail (for Hydraulic brake diesel applications that include air suspension or stand alone engine air compressor).</i>
62F	Brake Chamber Spring Relocated - Required <i>Relocated to rear of rear axle for maximum ground clearance.</i>
62D	Air Dryer, Bendix AD/IPS w/Heater <i>Mounted left frame rail (for Hydraulic brake diesel applications that include air suspension or stand alone engine air compressor).</i>
158	Trailer Air Brake Package <i>Includes air lines to rear of frame, hand control valve and tractor protection valve.</i>
159	Trailer Connection Socket - 7-Way, Wired for Turn Signals Combined with Stop <i>Mounted at rear of frame, for combined trailer stop, tail, turn (compatible with trailers that use combined stop, tail, turn lights).</i>
Front Axle and Suspension	
43N	10,000 lb. Cap. Non-Driving - Dana E-1002I - I-Beam Type
61C	Taper-Leaf Springs, Parabolic - 10,000 lb. Cap <i>2-leaf, 62" x 3.15". Also includes, standard duty, dual, double acting shock absorbers.</i>
Rear Axle and Suspension	
475	21,000 lb. Single Reduction - Open - Dana / Spicer 21060S <i>NOTE: When specifying an axle ratio, check performance guidelines for startability and gradeability.</i>
68R	Multi-Leaf Springs - 23,000 lb. Cap <i>11-leaf. Includes 2,000 lb auxiliary springs for load stabilization.</i>
X6B	6.17 Axle Ratio

Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.

Prepared for: Chris Limongelli



Republic Services

Prepared by: Gary Gibson

04/30/2020

Rush Medium Duty Truck Center, Dallas | 4000 Irving Blvd. Dallas Texas | 752475816

2021 F-750 Diesel Regular Cab Base (F7D)

Price Level: 115 | Quote ID: R7-2021

As Configured Vehicle (cont'd)

Code	Description
Wheelbase	
158WB	158" Wheelbase/84" CA/49" AF/246" OAL
Frame	
535	Single Channel - Straight 'C' 15.14 SM, 80,000 PSI <i>1,211,200 RBM. High strength low alloy steel. 10.250" x 3.092" x 0.375" (260.4mm x 78.5mm x 9.5mm).</i>
765	Bumper, Front - Full Width, Chrome Plated Steel - (Included in (90E) Exterior Appearance Group)
18D	Special Rating GVWR - Limited to 25,999 lb. GVWR
86C	Chrome Grille Surround - (Included in (90E) Exterior Appearance Group)
Exhaust	
91B	Back of Cab, Right Side Outlet, Torpedo-Style <i>Single, horizontal muffler/pipe, inline, right side exhaust with underbody exit, in front of axle.</i>
Fuel Tanks	
65B	Fuel Tank - LH 50 Gallon Rectangular - Aluminum
12	12 Gal. Single Tank Fuel Fill. Mandatory Charge Applied, Based On Tank Selection
Electrical / Alternator / Battery	
STDALT	Extra Heavy Duty Alternator - 12-Volt, 200 Amp Denso SC5
55M	Jump Start Stud - Remote Mounted
STDBAT	Battery - Two 750 CCA, 1500 Total, Includes Steel Battery Box <i>12Volt, Motorcraft.</i>
59C	Body Builder Wiring - At End of Frame, Combined - (ILO Standard - Back of Cab Combined) <i>Includes sealed connectors for 2 ground circuits, with combined left/stop, combined right/stop, stop lamps, back up lamps. Also includes 2 additional pass through wires to cab.</i>

Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.

Prepared for: Chris Limongelli

Republic Services

Prepared by: Gary Gibson

04/30/2020

Rush Medium Duty Truck Center, Dallas | 4000 Irving Blvd. Dallas Texas | 752475816



2021 F-750 Diesel Regular Cab Base (F7D)

Price Level: 115 | Quote ID: R7-2021

As Configured Vehicle (cont'd)

Code	Description
962	Daytime Running Lamps
Seats	
88Y	40/20/40 Fixed Driver & Fixed Passenger w/Unique 20% Fold-Down Console - Vinyl
Cab Interior	
600A	Preferred Equipment Package 600A <i>Includes:</i> <ul style="list-style-type: none">- Wheel Seals, Front - Oil lubricated, SKF ScotSeal PlusXL Seals- Wheel Seals, Rear - Oil lubricated, SKF ScotSeal PlusXL Seals- Manual Regen Initiation - Driver Interface in Message Center- Engine Exhaust Brake- Extra Heavy Duty Alternator - 12-Volt, 200 Amp Denso SC5- Lights - Roof Marker/Clearance - Amber Lenses, 5 Lights- Tow Hooks, Front (2) - Frame-Mounted, Painted Black- Four Body Builder Switches - Mounted in Center Instrument Panel With connector access located in engine compartment. Amperages vary by switch: 10, 15, 25, 25.- Floor Covering - Black Vinyl- Intelligent Oil Life Monitor- Steering Column - Tilt / Telescoping- Steering Wheel - Black PVC w/Integral Cruise Control Switches, includes Audio Controls
588	Radio: AM/FM Stereo w/2 Speakers, USB input, Clock Display and Bluetooth
Cab Exterior	
59A	Horn, Air - Black, Single Trumpet <i>Air solenoid operated, chassis mounted on rail back of bumper.</i>
54C	Mirrors, Dual - Heated Rectangular, XL2020 - 102" Width <i>Integral spot mirror, sail type, manual fold, solid black finish.</i>
Ship-Thru	
21A	Pre-Delivery Inspection Selection requires that you also choose either (314) or (31F) or (31V) to have the Inspection performed. Required with any final Ship-To that is not a dealer.
314	Ship-Thru - Manning MAY be selected w/o adding (21A). For MODIFICATIONS ONLY, Dealer must make arrangements directly with Manning (please use CVT Resources for add. Info).

Miscellaneous

Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.

Prepared for: Chris Limongelli



Republic Services

Prepared by: Gary Gibson

04/30/2020

Rush Medium Duty Truck Center, Dallas | 4000 Irving Blvd. Dallas Texas | 752475816

2021 F-750 Diesel Regular Cab Base (F7D)

Price Level: 115 | Quote ID: R7-2021

As Configured Vehicle (cont'd)

Code	Description
PAINT	Paint Type - Environmentally Friendly, "3 - Wet System"
Fleet Options	
56A	CPA Fleet Incentive
Interior Colors	
E_01	Gray
Primary Colors	
YZ_01	Oxford White
Upfit Options	
55555	F750 Factory Republic Blue Paint
77667	R7 2019 Landfill Mechanics Service Package
99992	PLUS DELIVERY TO DIVISION

Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.



We'll handle it from here.™



An Oshkosh Corporation Company

Support Vehicle Quotation R7 2021 Landfill Mechanics Service Equipment Package

Chassis Profile: Ford F750 Chassis




Support Vehicle Quotation

R7 2021 Landfill Mechanics Service Equipment Package

SERVICE BODY:

- IMT Dominator™II style 11' heavy duty galvanized steel crane body with standard right rear crane mount ability and body installation kit
- 60" high x 22" deep compartments. Compartments 32" above cargo bed.
- Right vertical compartment for oxygen/acetylene bottles
- The body shall incorporate patented inverted A understructure



- The compartment doors shall be constructed of 14 ga. galvanized, hemmed steel and swing outward (no fold up or down). Stainless steel hinges. Spring loaded gas shock door holders. Extruded bulb-type weather stripping is utilized for sealing the doors
- Patent-pending cast steel powder coated 3-point latch mechanism.
- Master lock compartment security system
- The cargo bed shall be 50" wide, constructed of 1/8" deck plate.

- The body shall be constructed of 12 and 14 ga. galvanized steel material
- The compartment top and backs shall be constructed of 12 ga. galvanized steel.
- Headache rack
- The rear workbench bumper is 25" deep w/thru compartment and has 5/16" steel overlay on top of workbench integrated into the bed. Rear load bed access steps are included on the rear corners of the thru compartment.
- Rear fold out step installed on workbench bumper street side grab rail
- 6 1/2" vise mounted on workbench bumper
- Six (6) recessed tie-down rings shall be welded into the cargo bed floor
- The body shall incorporate patented inverted A understructure
- Non-skid coating applied to the exposed floor and side walls of load bed surface (top of work bench bumper when option picked).
- Aluminum splash and rock guards installed on the front of the service body.
- Molded rubber fender extensions and mudflaps.
- A receiver tube with safety chain loops integral to the chassis frame for trailer towing. 7-way plug at hitch.
- Rear leveling springs on chassis
- Fully integrated and sealed electrical system incorporating an automotive style harness system with power and function distribution box.
- Painted with 1 – 1.5 mills of Axalta Primer and 2 – 2.5 mills of Axalta Polyurethane top coat paint. Paint body per Republic Services specification, Interior of the compartments are painted with IMT Compartment Coating – VOC compliant polyurethane-modified multicolor spray finish





We'll handle it from here.™



Support Vehicle Quotation R7 2021 Landfill Mechanics Service Equipment Package

- Install Republic Services identification decals and striping
- Installed at IMT factory.

COMPRESSED AIR AND WELDER SYSTEM:



- IMT CAS40P hydraulic driven 2-stage reciprocating air compressor painted white including 10 gpm hydraulic motor, control valve. Rated at 40 CFM @ 100 psi. Includes 22.5-gallon air receiver, hydraulic kit for installation on top left front corner of 11' body, oil reservoir – 30 gallon (Bulkhead mount in load bed), hot shift PTO with Tandem Hyd Pump for Ford F-750 / Allison automatic transmission.
- ½" x 50' air hose with retractable reel (installed RR compartment)
- ½" moisture separator/regulator/oiler (installed RR compartment)
- Engine speed control
- Miller Bobcat 250 gas engine driven welder / generator w/50' welder lead and 50' ground lead accessible in RV #1 compartment. 110V GFCI outlet mounted at right rear of body. Includes removable bulkhead behind compressor or welder
- 50' torch hose kit with regulator kit on retractable reel in RV1 Compartment



TELESCOPIC CRANE:

- IMT Model 10000 telescopic mechanic field service crane: 72,000 ft lb rating, maximum capacity 10,000 lbs (4,535.9 kg), maximum capacity at maximum reach 2,030 lbs (920.8 kg), three hydraulic extensions to 30'10" w/flip shive boom tip (in up position), 400 degree rotation, double-acting cylinders with integral holding and/or counterbalance valves, planetary winch, four spool remote control valve, fully proportional wireless remote control, Excessive Load Limit System (ELLS) overload sensor and shut-down device, return filters, crane hook, snatch block, anti-two block device, hydraulic overload shutdown system, painted white, decals and mounting kit
- Rear power out/power down outriggers, manual down front outriggers-one each side.

LUBRICATION SYSTEMS:

- One 45 gallon oil system w/air operated pump, polyethylene tank, 3/8" x 30' hose reel with metered control valve accessible RV #1.
- One 45 gallon used salvage oil system, polyethylene tank w/air operated diaphragm pump, 2-way valve, 3/4" x 25' hose reel accessible RV #1.



LIGHTING AND SAFETY:

- Four (4) LED floodlights (1) each side front and (2) rear mounted
- Crane boom flip sheave LED flood lights
- 12 V LED compartment lights in each compartment (8).
- Amber LED strobe light bar. Dash mounted controls
- 20 lb fire extinguisher (LH compartment)
- Automotive style GXL wiring with overbraiding and all



Support Vehicle Quotation R7 2021 Landfill Mechanics Service Equipment Package

connections made with Packard WeatherPac connectors.

- U.S.A DOT approved Trucklite™ LED lights and reflectors with back-up alarm.
- ICC Safety kit and fire extinguisher

COMPARTMENT CONTENT:

Left Vertical #1

- 1-Mechanics Drawer Set – 2-5”, 1-7”, 5-3” rollout drawer combination

Left Vertical #2



- 3-Adjustable 3” shelves with dividers

Left Horizontal

- 1-Compartment Divider for 20# fire extinguisher
- 1-Adjustable shelf

Left Rear

- 1-3” deep adjustable shelf with dividers
- 2 hooks for hanging hoses



Right Vertical #1

- Compartment divider
- 2-Adjustable shelves
- Oxygen/Acetylene bottle holder

Right Horizontal

- 1-Adjustable shelf



BASE PACKAGE:	
R7 Base Package Total:	

EQUIPMENT OPTIONS (Add to base unit):

- Welder 50' leads on retractable reels (1-reel for ground, 1-lead reel)

1. Welder 50' leads on retractable reels (1-reel for ground, 1-lead reel)	
<ul style="list-style-type: none"> • “Super Boost All” 12V /24V jump starter. Utilizes 4 AGM batteries delivering 45,000 watts of power. Recharges from service vehicle or AC source. Provides polarity and no spark hook-up protection. 20' long cables and HD clamps. No moving parts. Protects the operator, the vehicle and itself. Access in RV#1 compartment 	
2. “Super Boost All” 12V /24V limited duty jump starter	
R7 Landfill Mechanics Truck Service Package with Options Total:	
Plus applicable chassis, transportation and taxes and license	
Includes 4.5% surcharge	
10/01/18 Quote# 100118007	



We'll handle it from here.™



An Oshkosh Corporation Company

Support Vehicle Quotation
R7 2021 Landfill Mechanics Service Equipment Package



Equipment information provided by:

Iowa Mold Tooling Co., Inc

For more information contact:

Mark Zipse markzipse@imt.com

Derek Smuck dereksmuck@imt.com

Phone: 800-247-5958